

Serial No: 10/760,496  
Attorney Docket No.: FS-F03224-01

Response to Office Action of August 16, 2006

**Amendment to the claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of claims:**

1. (currently amended) A photothermographic material comprising an image forming layer containing at least a photosensitive silver halide, a non-photosensitive organic silver salt, a reducing agent and a binder on the same surface of a support, wherein the photothermographic material contains:

a compound having an adsorption group to silver halide and a reducing group, wherein the compound having an adsorption group to silver halide and a reducing group is represented by the following formula (I):

A-(W)<sub>n</sub>-B                      formula (I)

wherein, in the formula, A represents an atomic group containing a group capable of adsorbing to silver halide, W represents a divalent linking group, n represents 0 or 1, and B represents a reducing group,



wherein the adsorption group is a heterocyclic group substituted by one or two mercapto groups, a heterocyclic ring containing at least one atom selected from a nitrogen atom, a nitrogen atom containing heterocyclic group having a -NH- group capable to form an imino-silver (>NAg) as a partial structure of heterocyclic ring, or a heterocyclic ring having quarternalized nitrogen atom,

and the reducing group is one selected from ~~hydroxyureas~~ and 1-phenyl-3-pyrazolidones;

and a development accelerator, wherein the development accelerator is at least one selected from compound groups represented by the following formulae (1), (2) and (3):

Serial No: 10/760,496  
Attorney Docket No.: FS-F03224-01

Response to Office Action of August 16, 2006



wherein:

in formula (1),  $Q^1$  represents a 5 to 7 membered unsaturated ring capable of bonding to  $NH-NH-R^1$  through a carbon atom;  $R^1$  represents a carbamoyl group, an acyl group, an alkoxycarbonyl group, an aryloxycarbonyl group, a sulfonyl group or a sulfamoyl group; and

in formulae (2) and (3),  $X^2$  and  $X^3$  each independently represent a hydrogen atom or a substituent;  $R^{21}$ ,  $R^{31}$  and  $R^{32}$  each independently represent a hydrogen atom or a substituent capable of substitution;  $m$  and  $p$  each independently represent an integer from 0 to 4; and  $n$  represents an integer from 0 to 2.


2. (cancelled)

3. (cancelled)

4. (original) The photothermographic material according to claim 1, wherein the reducing agent is represented by the following formula (7):

Serial No: 10/760,496  
Attorney Docket No.: FS-F03224-01

Response to Office Action of August 16, 2006



Formula (7)

wherein, in formula (7),  $R^{71}$  and  $R^{71'}$  each independently represent an alkyl group having 1 to 20 carbon atoms;  $R^{72}$  and  $R^{72'}$  each independently represent a hydrogen atom or a group capable of substituting for a hydrogen atom on a benzene ring;  $X^{71}$  and  $X^{71'}$  each independently represent a hydrogen atom or a group capable of substituting for a hydrogen atom on a benzene ring; L represents a -S- group or -CHR<sup>73</sup>- group; and  $R^{73}$  represents a hydrogen atom or an alkyl group.

5. (original) The photothermographic material according to claim 1, wherein a silver iodide content of the photosensitive silver halide is 5% by mole or more.

6. (original) The photothermographic material according to claim 5, wherein the silver iodide content of the photosensitive silver halide is 40% by mole or more.

7. (original) The photothermographic material according to claim 1, wherein the photothermographic material is exposed to a laser beam.

8. (original) The photothermographic material according to claim 7, wherein the laser beam has a wavelength of 350 nm to 450 nm.

9. (original) The photothermographic material according to claim 7, wherein a light source of the laser beam is a blue laser diode.

10. (currently amended) A photothermographic material comprising, on a support, at least a photosensitive silver halide, a non-photosensitive organic silver salt, a

Serial No: 10/760,496  
Attorney Docket No.: FS-F03224-01

Response to Office Action of August 16, 2006

reducing agent and a binder, wherein:

1) the photothermographic material contains a compound having an adsorption group to silver halide and a reducing group,

wherein the compound having an adsorption group to silver halide and a reducing group is represented by the following formula (I):

$A-(W)_n-B$  formula (I)

wherein, in the formula, A represents an atomic group containing a group capable of adsorbing to silver halide, W represents a divalent linking group, n represents 0 or 1, and B represents a reducing group,

wherein the adsorption group is a heterocyclic group substituted by one or two mercapto groups, a heterocyclic ring containing at least one atom selected from a nitrogen atom, a nitrogen atom containing heterocyclic group having a  $-NH-$  group capable to form an imino-silver ( $>NAg$ ) as a partial structure of heterocyclic ring, or a heterocyclic ring having quarternalized nitrogen atom,

and the reducing group is one selected from ~~hydroxyureas~~ and 1-phenyl-3-pyrazolidones;

2) the non-photosensitive organic silver salt contains silver behenate in an amount of not less than 80% by mole; and

3) the binder has a glass transition temperature ( $T_g$ ) of 45°C or less.

11. (original) The photothermographic material according to claim 10, wherein the non-photosensitive organic silver salt contains silver erucate in an amount of from  $1.0 \times 10^{-6}\%$  by mole to 0.4% by mole.

12. (original) The photothermographic material according to claim 10, wherein the binder is a polymer latex synthesized by using a polymerization initiator in an amount of 0.3% by weight to 2.0% by weight based on a total amount of monomers.

Serial No: 10/760,496  
Attorney Docket No.: FS-F03224-01

Response to Office Action of August 16, 2006

13. (original) The photothermographic material according to claim 10, wherein a silver iodide content of the photosensitive silver halide is 5% by mole or more.

14. (original) The photothermographic material according to claim 13, wherein the silver iodide content of the photosensitive silver halide is 40% by mole or more.

15. (currently amended) A photothermographic material comprising, on a surface of a support, at least a photosensitive silver halide, a non-photosensitive organic silver salt, a reducing agent and a binder, wherein the photothermographic material contains: a compound having an adsorption group to silver halide and a reducing group, wherein the compound having an adsorption group to silver halide and a reducing group is represented by the following formula (I):




wherein, in the formula, A represents an atomic group containing a group capable of adsorbing to silver halide, W represents a divalent linking group, n represents 0 or 1, and B represents a reducing group,

wherein the adsorption group is a heterocyclic group substituted by one or two mercapto groups, a heterocyclic ring containing at least one atom selected from a nitrogen atom, a nitrogen atom containing heterocyclic group having a -NH- group capable to form an imino-silver (>NAg) as a partial structure of heterocyclic ring, or a heterocyclic ring having quarternalized nitrogen atom,

and the reducing group is ~~hydroxyureas and~~ 1-phenyl-3-pyrazolidones;

and at least one compound represented by the following formula (H):



wherein, in formula (H), Q represents an alkyl group, an aryl group or a heterocyclic group; Y represents a divalent linking group; n represents 0 or 1; Z<sub>1</sub> and Z<sub>2</sub> each independently represent a halogen atom; and X represents a hydrogen atom or an

Serial No: 10/760,496  
Attorney Docket No.: FS-F03224-01

Response to Office Action of August 16, 2006

electron attracting group.

16. (original) The photothermographic material according to claim 15, wherein the compound represented by formula (H) has a melting point of 170°C or less.

17. (original) The photothermographic material according to claim 15, wherein Q represents a heterocyclic group in formula (H).

18. (original) The photothermographic material according to claim 15, wherein the compound represented by formula (H) is contained in an amount of  $1 \times 10^{-2}$  mole to  $5 \times 10^{-2}$  mole per one mole of the non-photosensitive organic silver salt.

19. (original) The photothermographic material according to claim 18, wherein the compound represented by formula (H) is contained in an amount of  $1 \times 10^{-2}$  mole to  $3 \times 10^{-2}$  mole per one mole of the non-photosensitive organic silver salt.

20. (original) The photothermographic material according to claim 15, wherein a silver iodide content of the photosensitive silver halide is 5% by mole or more.

21. (original) The photothermographic material according to claim 20, wherein the silver iodide content of the photosensitive silver halide is 40% by mole or more.

22. (previously presented) The photothermographic material according to claim 1, wherein the adsorption group is a heterocyclic group substituted by one or two mercapto groups.

Serial No: 10/760,496  
Attorney Docket No.: FS-F03224-01

Response to Office Action of August 16, 2006

23. (previously presented) The photothermographic material according to claim 1, wherein the adsorption group is a nitrogen atom containing heterocyclic group having a -NH- group capable to form an imino-silver (>NAg) as a partial structure of heterocyclic ring.

24. (previously presented) The photothermographic material according to claim 1, wherein the adsorption group is a heterocyclic ring having quarternalized nitrogen atom.

25. (cancelled)

26. (previously presented) The photothermographic material according to claim 6, wherein the silver iodide content of the photosensitive silver halide is 90% by mole or more.

27. (previously presented) The photothermographic material according to claim 14, wherein the silver iodide content of the photosensitive silver halide is 90% by mole or more.

28. (previously presented) The photothermographic material according to claim 21, wherein the silver iodide content of the photosensitive silver halide is 90% by mole or more.

29. (cancelled)

30. (cancelled)


31. (cancelled)

Serial No: 10/760,496  
Attorney Docket No.: FS-F03224-01

Response to Office Action of August 16, 2006

32. (cancelled)

33. (new) The photothermographic material according to claim 1, wherein the development accelerator is a compound represented by the following formula (3):



wherein in formula (1),  $X^3$  represents a hydrogen atom or a substituent;  $R^{31}$  and  $R^{32}$  each independently represent a hydrogen atom or a substituent capable of substitution;  $m$  represents an integer from 0 to 4; and  $n$  represents an integer from 0 to 2.

34. (new) The photothermographic material according to claim 33, wherein a silver iodide content of the photosensitive silver halide is 90% by mole or more.